



VCI EMITTING SYSTEMS & ELECTRONIC PRODUCTS

VCI-101

PRODUCT DESCRIPTION

VCI-101 emitters are unique devices designed to provide corrosion protection for metal components and parts enclosed in non-ventilated control boxes, cabinets or tool boxes. VCI-101 protects up to 1 cubic foot (28 liters) in volume. VCI-101 is a small patented foam emitter through which corrosion inhibitors are slowly released. The VCIs emit vapors which form a molecular layer on metal surfaces to protect critical, complex and expensive electronic equipment during operation, shipping or storage. VCI-101 provides long-term protection against corrosion even in the presence of adverse conditions including salt, moisture, airborne contaminants, H₂S, SO₂, NH₃ and others.

FEATURES

- Economical to use.
- Convenient to install.
- Provides continuous protection up to 24 months during operation and/or shutdown.
- Effective in polluted and humid environments.
- Does not interfere with electrical, optical or mechanical performance.
- Multimetal protection.
- Quick, easy installation.
- Non-toxic and safe to handle.
- Compact and space-saving.
- Free of nitrites, silicones, phosphates.
- No spraying, wiping or dipping required.
- Low VOC values.
- Meets Southern California Clean Air Act and other local regulations.

TYPICAL APPLICATIONS

- Operating, packaged and stored electrical equipment.
- Marine navigation and communications equipment.
- Aerospace electrical controls.
- Electrical motors.
- Switching equipment.
- Fuse boxes, power boxes.
- Medical equipment.
- Electrical wireways, terminal boxes.
- Scientific and measuring instruments.
- Telecommunications equipment and remote electronic devices.
- Hand-held, battery-operated devices.

METHOD OF APPLICATION

VCI-101 emitters are extremely simple and convenient to install. They should be installed as soon as possible, preferably during manufacture or assembly. Simply select a space within any enclosed device where corrosion protection would be useful. Verify the surface on which the device will be installed is clean and free of debris. Peel off the protective peel strip from the bottom of the device and attach it to the clean surface. VCI-101 emitters can be installed in any position. For volumes greater than 1 cubic foot (28 liters), install more than one VCI-101. If the enclosure is not totally air-tight or if the access doors are opened frequently, replace the VCI-101 emitter more often than every 2 years. After periods of heavy maintenance, replace the emitter or spray the enclosure very lightly with Cortec® VCI-238 Aerosol.



CORTEC
CORPORATION

Environmentally Safe VCI/MCI® Technologies



PROPERTIES

Standard Size	Foam device with adhesive backing 3" (L) x 1.25" (W) x 1/4" (H) (7.6 cm x 3.2 cm x 0.6 cm)
Protection	1.0 ft ³ (0.03 m ³)
Packaging	50 individually wrapped emitters per carton

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

KEEP CONTAINER TIGHTLY CLOSED

NOT FOR INTERNAL CONSUMPTION

**CONSULT MATERIAL SAFETY DATA SHEET FOR
MORE INFORMATION**

LIMITED WARRANTY

All statements, technical information and recommendations contained herein are based on tests Cortec Corporation believes to be reliable, but the accuracy or completeness thereof is not guaranteed.

Cortec Corporation warrants Cortec® products will be free from defects when shipped to customer. Cortec Corporation's obligation under this warranty shall be limited to replacement of product that proves to be defective. To obtain replacement product under this warranty, the customer must notify Cortec Corporation of the claimed defect within six months after shipment of product to customer. All freight charges for replacement product shall be paid by customer.

Cortec Corporation shall have no liability for any injury, loss or damage arising out of the use of or the inability to use the products.

BEFORE USING, USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR ITS INTENDED USE, AND USER ASSUMES ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

No representation or recommendation not contained herein shall have any force or effect unless in a written document signed by an officer of Cortec Corporation.

THE FOREGOING WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. IN NO CASE SHALL CORTEC CORPORATION BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.



DISTRIBUTED BY: KPR ADCOR INC.

Phone (905) 628-3232, Fax (905) 628-2529

Toll Free (866) KPR-ADCOR, E-mail kpr@corrosionvci.com

Internet <http://www.corrosionvci.com>

printed on recycled paper  10% post consumer

Revised 4/98. Cortec®, Corwipe®, EcoSpray/EcoClean®, EcoWeave®, MCI®, Cor-Lube™, Cor-Mastic™, Cor-Pak™, Corrosorb™, EcoCoat™, EcoShield™, Electricor™, Migrating Corrosion Inhibitors™, Migratory Corrosion Inhibitors™, Primecoat™, Total Corrosion Control™, VCI Film Color of Blue™ and VHDRS™ are trademarks of Cortec Corporation.
© Cortec Corporation 1998. All rights reserved. Supersedes: 3/96



Certificate No. 43345